

OFFICE OF APPROPRIATE AUTHORITY (ED DSIIDC)
GOVERNMENT OF NCT OF DELHI
N-36, BOMBAY LIFE BUILDING, CONNAUGHT CIRCUS, NEW DELHI 110001

No.F.1/CI/Transfer of CETPs/2021-22/ 6187-6212

Dated : 19.12.2025

ORDER

1. Industries Department, GNCTD has been designated with the responsibility of monitoring the implementation of the Delhi CETP Act, 2000 and the Delhi CETP Rules, 2001. As per the provisions in the Delhi CETP Act 2000, vide clause 3(i), the CETP societies were constituted for the purpose of performing such functions including setting up and operating a CETP for the units in the Industrial Estates. Accordingly, 11 nos. CETPs were handed over to the CETP Societies by DSIIDC, after construction from the year 2005 to 2016, for effluent management in notified industrial areas.
2. The Delhi CETP Act 2000 also provides "... for recovery of the dues as arrears of land revenue in respect of the capital and recurring costs of common effluent treatment plants set up in the Industrial Estates in the National Capital Territory of Delhi and matters connected therewith or incidental thereto."
3. As per Clause 3(v) of the Delhi CETP Rules 2001, the responsibility regarding up-gradation of technology of the installed CETPs for future requirements pertains to the respective CETP Societies and the funds for the same are to be collected from the occupiers/units of the Industrial Estate by the CETP Societies as per the provisions in the Act/Rules. The CETP Societies have been delegated the power to issue the demand letter in Form-II [under rules 3(ii) and 5(i)] and notice of recovery in Form-III [notice under section 6(2)(b) of act read with rules 5(iv) and 7(a)] of Delhi CETP Rules 2011 [vide Notification No F.1/JCI/CETP/Meeting/2009/38 dated 28.01.2010 (copy enclosed as Annexure-I) and Notification No F.1/JCI/CETP/Meeting/2009/30/232 dated 27.02.2014 (copy enclosed as Annexure-II)]. Further, recovery proceedings may be initiated by the appropriate authority against the defaulters under Section 6, 7, 12 and 16 of Delhi CETP Act 2000, read with Rule 7 of Delhi CETP Rules 2001.
4. The CETP societies were assigned the responsibility of treatment of waste water generated by their industrial units as their social responsibility to provide clean environment



to the society as public private partnership by the Govt. of NCT of Delhi. Towards enabling them to realizing this objective, Rule 4 of Delhi CETP Rules 2011, provides for the manner of apportionment of the CETP cost:-

(a) The capital cost of CETP including cost of land, electricity installation, conveyance system in an estate and cost of construction of the CETP, shall be apportioned as under:-

- i. Cost to be paid by the Government of National Capital Territory of Delhi 25 per cent.
- ii. Cost to be paid by the Government of India 25 per cent.
- iii. Cost to be paid by the industrialists/occupiers of the estate 50 per cent, further to be apportioned in accordance with the formula given in Schedule-II.

(b) Also, the recurring cost of the CETP was to be borne completely by the occupiers in the estate, with the same apportioned amongst the occupiers in accordance with the formula given in Schedule - II of Delhi CETP Rules 2001 (copy enclosed as **Annexure-III**). Subsequently, w.e.f. 02.11.2022, the Schedule - II of the Delhi CETP Rules 2001 has been amended vide Gazette Notification No. F. 133/CI/DCI/CETP/2021/1860 dated 02nd November, 2022 (copy enclosed as **Annexure-IV**).

5. M/s NEERI submitted its report for up-gradation of CETPs with respect to revised parameters in March, 2022. The said report of the NEERI was communicated to all CETP Societies simultaneously, but CETP Societies failed to initiate the up-gradation work and accordingly Show Cause Notices were issued by the then Appropriate Authority under the CETP Act 2000 & Rules 2001 on 29.09.2022 for the various lapses on their part.

6. The CETP Societies owned the responsibility of smooth operation and maintenance of the CETPs by collection of funds from the occupiers/units of the Industrial Estates and it was noticed that the CETP Societies failed to recover the Apportioned Cost from the occupiers/units for proper upkeep of the CETPs. This issue was also informed by the CETP Societies in their replies to the Show Cause Notices issued by Industries Department. The financial responsibility regarding Operation and Maintenance of CETPs pertains to CETP Societies only, as per Delhi CETP Act 2000 and Rules 2001.

7. After examining the replies of CETP Societies by the Appropriate Authority as per CETP Act, a Gazette Notification No. F.1/CI/OSD/Transfer of CEPTs/2021-22/4570-83 dated 01.01.2024 for transfer of 11 nos. CETPs to DJB was issued by Department of Industries. However, the impugned notification was challenged by CETPs Societies and the

Hon'ble High Court Delhi quashed the said Notification dated 01.01.2024 vide its orders dated 01.02.2024 and 05.02.2024 on the grounds that no opportunity of appeal under Section 13 of CETP Act was given to the CETP societies.

8. The Hon'ble High Court also directed that Appropriate Authority under CEPT Act will be at liberty to issue fresh comprehensive show cause notices preferably within 02 weeks. The petitioners/CEPT Societies were directed to file their replies to show-cause notices within 02 weeks from the date of receipt. All further proceedings were to be governed by applicable CETP Act & Rules.

9. Delhi Jal Board had indicated its inability to run the CETPs due to financial crunch before issue of earlier notification dated 01.01.2024 regarding transfer of CETPs to Delhi Jal Board. Now again, vide its letter No. DJB/CE(M)-1/2025/06 dated 13.11.2025, Delhi Jal Board has reiterated its stand.

10. In compliance of Hon'ble High Court directions fresh Show Cause Notices dated 06.03.2025 to 11 nos. of CETPs Societies were issued by Appropriate Authority u/s 14 of CETP Act, 2000 to provide reasonable opportunity to be heard in person for natural justice.

11. The replies of CETPs Societies have been examined in detail by Industries Department, GNCTD with reference to existing provisions in the CETP Act, 2000 and CETP Rule, 2001. The Appropriate Authority also allowed the personal hearings of all the 11 nos. CETPs Societies in the office of Commissioner of Industries at Udyog Sadan, Patparganj, Delhi- 110092 alongwith all the stakeholder departments such as Delhi Jal Board, DSIIDC, MCD and DPCC. The personal hearings were conducted from date 02.07.2025 to 10.12.2025 and the minutes of the meeting were issued by industries department for various compliances, including review of their Action Taken Reports.

12. The issue regarding upgradation of exiting CETPs is also being monitored by Hon'ble High Court in W.P.(C) 7594/2018 on regular basis. As per the Delhi CETP Act / Rules, the financial responsibility regarding operation and maintenance of CETPs lies with the CETP Societies and therefore transfer of financial responsibility to DJB/Govt. of Delhi at this stage shall not be appropriate and against the '*polluter pays principle*'. There is also an urgent need for upgradation of technology to meet out the revised parameters of treated water issued by DPCC in March, 2022. Therefore, after careful examinations of all the



facts, circumstances, act, rule position and submissions made by all the stakeholders from time to time, the Appropriate Authority hereby issues the following '*interim order*' under Section 16 of Delhi CETP Act 2000:-

- I. All the 11 nos. CETP Societies have submitted their willingness to upgrade the technology/CETPs to achieve the required parameters of treated effluent as per DPCC Order no. F. No. DPCC/WMC-II/CETP Inlet Standards/2020/9026-9035 dated 02.03.2022 (copy enclosed as **Annexure-V**). Accordingly, CETPs Societies are hereby granted maximum period of ONE (01) year for planning, designing, upgradation and commissioning, etc. of CETP plants from the date of issue of this order. If the Societies fails to implement the up-gradation within specified period of ONE (01) year from issuance of this order, Industries Department, Govt of NCT of Delhi shall be free to initiate action under section 14 of Delhi CETP Act 2000 and Rules made thereunder.
- II. The Delhi Jal Board vide its letter No. DJB/CE(M)-1/2025/06 dated 13.11.2025 has refused to take up the construction, operation or upgradation of CETPs. Accordingly, DSIIDC is directed to supervise the upgradation work in consultation with M/s NEERI and CETP societies for the required capacities within the specified time period of ONE YEAR.
- III. To keep watch on the receipts and expenses of the CETPs Societies, an Escrow Account of CETPs Societies with DSIIDC is to be opened within next 07 days of the issue of this order. This account shall be operated and maintained by DSIIDC till the settlement of the up-gradation of CETPs to the required standards issued by DPCC and all receipts in name of upgradation cost by the CETP societies as well as recovery from the defaulters (as on date of issuance of this order) shall be deposited into this account. Further, all payments towards upgradation of CETPs shall be made from this Escrow account.
- IV. The CETP Societies are directed to complete the recovery proceedings within a period of 3 months from occupiers/units under section 6(2)(b) read with section 16 of the Delhi CETP Act, 2000 in close coordination with Appropriate Authority, i.e., ED, DSIIDC (copy enclosed as **Annexure-VI**) and jurisdictional Collectors/ District Magistrates and Sub-Divisional Magistrates.



- V. As per section 3(2) of Delhi CETP Act 2000 'every occupier shall be member of the CETP Society' as referred to in Section 3(1) of the Act. As such, the defaulting member units shall mean both (i) the units who are defaulting in payments (apportioned cost including the upgradation cost) or (ii) the industrial units situated within the industrial estate/s or any area in jurisdiction of CETP society and not paying any dues to the concerned society. Accordingly, in order to generate immediate funds for initiation of the upgradation work, the amount recovered from these defaulter units in the recovery proceedings under Rule 7 of Delhi CETP Rules 2001 shall also be deposited in the Escrow account opened by DSIIDC for this purpose.
- VI. All CETP societies are directed to submit the following to the concerned officer in DSIIDC [i.e. EE (Environment), Technical Centre Building, Wazirpur Industrial Area, Delhi-110052] for necessary action regarding recovery from the defaulters under Delhi CETP Act 2000 and Rules 2001:-
- i. The latest consolidated list of defaulters, along with
 - ii. Undertaking that the dues calculated for recovery from defaulting units are in conformity with Schedule - II of the Delhi CETP Rules 2001 [which w.e.f. 02.11.2022, has been amended vide Gazette Notification No. F. 133/CI/DCI/CETP/2021/1860 dated 02nd November, 2022], and
 - iii. Original Form-III Notices issued for recovery from defaulters by respective CETP societies.
- VII. The area SDMs shall be the nodal officers for recovery of the dues from the industrial units and shall ensure recovery of dues within a period of 02 months of issue of Recovery Certificates (in Form IV of Delhi CETP Rules 2001), as per instructions issued by Appropriate Authority under the Delhi CETP Act, 2000.
- VIII. A special recovery team under the SDM and consisting of area officers from DSIIDC, DPCC, MCD / DJB / BSES / DELHI POLICE alongwith representatives of concerned CETP Society shall be constituted by concerned District Magistrate to assist in the above recoveries.



- IX. The concerned DMs/ADMs are also requested to hold monthly meetings regarding expeditious recovery from defaulting units and submit their reports to the appropriate authority/ED DSIIDC for information.
- X. The DSIIDC shall assist the CETP societies in the tendering process for selection of agencies for upgradation work of CETPs and the upgradation work shall be jointly monitored by DSIIDC / CETP societies through their representatives of appropriate level.
- XI. M/s NEERI and DSIIDC are directed to execute MoU/issue work order regarding planning and designing the up-gradation scheme for existing 11 nos. CETPs within a week time from issuance of this Order.
- XII. M/s NEERI and DSIIDC alongwith CETP Societies shall assess the capacities of the CETPs for planning and up-gradation in view of the letter from Delhi Jal Board [vide letter No. DJB/CE(M)-1/2025/06 dated 13.11.2025 (copy enclosed as **Annexure-VII**)] that the industrial discharge shall not be permitted in DJB's biological STP bound sewer network.
- XIII. DSIIDC is directed to communicate the cost claimed by M/s NEERI for consultancy against reassessment of CETPs for up-gradation in view of the provisions in the CETPs Act and Rules to the CETP Societies. The CETP Societies are directed to submit their consent for deposition of said cost to DSIIDC in the Escrow Account and initiate action for recovery from the occupiers within next 15 days.
- XIV. DSIIDC /Nodal officers from each society shall also provide the monthly reports regarding progress of upgradation work to Industries Department, GNCTD during the up-gradation period of CETPs. The DPCC / NEERI shall also issue certificate regarding completion of upgradation of CETPs work as and when it is completed.
- XV. The Presidents / General Secretaries of the CETP Societies alongwith the below nominated DSIIDC Officials and nodal officers of DJB [vide DJB letter dated 13.11.2025 (copy enclosed as **Annexure-VII**)] shall conduct a joint survey within a period of 02 months to: (i) identify the industrial units not connected to conveyance system for Industrial Effluents and (ii) points of biological discharge from outside industrial areas which require to be connected to the nearest STP of DJB, for further necessary action by DSIIDC/DJB. The nominated officials from DJB as well as DSIIDC for aforesaid purpose is tabulated below:-



Sl. No.	Name of Society	Nominated Officer of DJB vide letter No. DJB/CE(M)-1/2025-06 dated 13.11.2025	Nominated officer from DSIIDC
1.	Jhilmil CETP Society	Sh. Vaibhav Jain, SE(C)-02/Division EE(C)-04 Mo. No. 8800332234	Sh. Amit Kumar, E.E (CD-13), DSIIDC Mob. No. 9999443677
2.	Keshav Puram CETP Society	Sh. Yogendra Singh, SE(C)-07/Division EE(C)-17 Mo. No. 9650290782	Sh. Amit Kumar, E.E (CD-13), DSIIDC Mob. No. 9999443677
3.	SMA CETP Society	Sh. Ashok Kumar Singhal, EE Mo. No. 9650291347 Sh. S.K. Dahiya, CE Mo. No. 9650291401	Sh. Amit Kumar, E.E (CD-13), DSIIDC Mob. No. 9999443677
4.	Badli CETP Society	Sh. Vikas Rathi, SE(C)-04/Division EE(C)-09 Mo. No. 9650291480	Sh. Tariq Shafi, E.E (CD-14), DSIIDC Mob. No. 9873798734
5.	Okhla CETP Society	Sh. Alok Kumar Jain, SE(C)-12/Division EE(C)-32 Mo. No. 9650291526	Sh. Tariq Shafi, E.E (CD-14), DSIIDC Mob. No. 9873798734
6.	Mayapuri CETP Society	Sh. Jarender Kumar Sharma, SE(C)-09/Division EE(C)-23 Mo. No. 9650755988	Sh. Amit Kumar, E.E (CD-13), DSIIDC Mob. No. 9999443677
7.	DSIDC & Udyog Nagar CETP Society	Sh. Sudhir Kumar Dahiya, SE(C)-18/Division EE(C)-22 Mo. No. 9971168047	Sh. Tariq Shafi, E.E (CD-14), DSIIDC Mob. No. 9873798734
8.	Wazirpur CETP Society	Sh. Manoj Kumar, SE(C)-07/Division EE(C)-18 Mo. No. 9650291216	Sh. Amit Kumar, E.E (CD-13), DSIIDC Mob. No. 9999443677
9.	Mangoluri CETP Society	Sh. Sheshnath Rai, SE(C)-08/Division EE(C)-21 Mo. No. 9650291443	Sh. Amit Kumar, E.E (CD-13), DSIIDC Mob. No. 9999443677
10.	G.T. Karnal Road CETP Society	Sh. Joginder Singh Chauhan, SE(C)-05/Division EE(C)-13 Mo. No. 9650291095	Sh. Amit Kumar, E.E (CD-13), DSIIDC Mob. No. 9999443677
11.	Naraina CETP Society	Sh. Satyender Dabas, SE(C)-06/Division EE(C)-16 Mo. No. 9650291279	Sh. Amit Kumar, E.E (CD-13), DSIIDC Mob. No. 9999443677

2

- XVI. The issue regarding de-silting of conveyance system in the industrial areas and disconnection of domestic sewage were raised by the CETP Societies in the joint personal hearings to control the inlet parameters at CETPs. As per the conditions of the tri-partite agreement executed between CETP Societies, DSIIDC and DJB while handing over CETPs to the CETP societies, the above responsibilities pertain to DJB. However, no timelines/ATR has been submitted by the DJB even after repeated Minutes of Meeting of the personal hearings issued in this regard. Accordingly, the Appropriate Authority hereby directs DJB to submit the timelines for necessary action for the following:-
- a. For de-silting of the conveyance system including rising mains as the conveyance system is being maintained by Delhi Jal Board in all the 11 Nos. CETP Societies area.
 - b. For disconnection of domestic sewage coming outside of industrial areas at the identified points from the conveyance system of CETPs.
- XVII. The issue regarding re-use of treated water has also been raised by the CETP Societies during the personal hearings. Accordingly, DSIIDC/DJB/DDA/ MCD/PWD are requested to examine the possibilities of re-use of treated water for plantation, sprinkling on roads, etc. in the surrounding areas of CETP. The concerned departments are requested to submit their annual plan in this regard in consultation with CETP Societies within a period of two month.
- XVIII. DPCC is directed to provide DSIIDC the status of existing ETPs in individual industrial units in each industrial area to control the inlet parameters at CETPs as per DPCC notification March, 2022 [F. No. DPCC/WMC-II/CETP Inlet Standards/2020/9026-9035 dated 02.03.2022] to make the upgradation scheme successful.



13. If CETP Societies fails to upgrade the CETPs within specified time period of ONE YEAR from issuance of this order due to reasons within their control, in continuation with the present proceedings and this interim-order and considering the fact that sufficient opportunity have already been granted to the CETP Societies for upgradation of CETPs, the Appropriate Authority / Industries Department shall be free to take any decision under section 14 of CETP Act, 2000.

Encl: As above


Appropriate Authority/ED(DSIIDC)
Under CETP Act/Rules

No.F. 1/CI/Transfer of CETPs/2021-22/

Dated:

Copy to:-

1. Secretary to Hon'ble Minister (Industries) GNCT of Delhi.
2. PS to Commissioner, MCD
3. PPS to Principal Secretary (Revenue), GNCTD
4. OSD to Vice Chairman, DDA
5. PS to DM (HQ), Revenue Department, GNCTD
6. PPS to ACS (Industries)
7. PS to CEO, Delhi Jal Board
8. PS to Chairman, DPCC
9. PS to Director, NEERI, Delhi Office.
10. PS to MD, DSIIDC.
11. Joint Commissioner of Industries
12. DCI (CEPT) Industries Department, GNCTD
13. The SE (Env.), DSIIDC for necessary action
14. S.O. (CETP) Industries Department, GNCT of Delhi for necessary action.
15. The President/Gen. Secretary of 11nos. CETP Societies.


Appropriate Authority/ED(DSIIDC)
Under CETP Act/Rules

1	2
6.	मायापुरी
7.	उद्योग नगर
8.	मंगोलपुरी
9.	बादली

राष्ट्रीय राजधानी क्षेत्र दिल्ली के उपराज्यपाल के
आदेश से तथा उनके नाम पर,

चेतन पी. संधी, सचिव

OFFICE OF THE COMMISSIONER OF INDUSTRIES NOTIFICATION

Delhi, the 28th January, 2010

No. F. 1/JCI/CETP/Meeting/2009/38.—Whereas *vide* Notification No. F. 14(29)/LA-2000/1/LA dated 5th January, 2001 Delhi Common Effluent Treatment Plant Act, 2000 was brought into effect to provide for recovery of the dues as arrears of land revenue in respect of the capital and recurring costs of Common Effluent Treatment Plants set up in the Industrial Estates in the National Capital Territory of Delhi and matters connected therewith or incidental thereto.

Whereas subsequently *vide* notification No. 7(99)/CETP/2000 the Government of National Capital Territory of Delhi has published the Delhi Common Effluent Treatment Plant Rules, 2001.

And whereas in order to decentralize the powers under the Act for better maintenance and upkeep of CETPs by the CETP Societies it has been decided to delegate the powers of appropriate authority to the respective CETPs Societies as per the list enclosed hereto in Schedule-1.

Now, therefore in exercise of the powers conferred under Section 15 of the Delhi Common Effluent Treatment Plant Act, 2000, the Commissioner of Industries, Government of National Capital Territory of Delhi hereby delegates the powers under clause (b) of sub-section (2) of Section 6 read with Section 16 of the said Act to the respective CETP Societies for the respective industrial areas under their control as per Schedule-1 annexed hereto, for the purpose of recovery of any due from any occupier in the manner as laid down in this Act and to issue notices for the said purpose.

And whereas the said power shall be exercised under the overall supervision and control of the Commissioner of Industries or such authority as may be notified in this regard.

SCHEDULE-I

List of CETP Societies which are being conferred the power for recovery of sum under Sec. 6(2)(b) of CETP Act, 2000

Sl. No.	Name of Societies
1	2
1.	Oldhla CETP
2.	Jhilmal CETP

1	2
3.	Lawrence Road
4.	G. T. Kamal Road
5.	SMA/SSI/Rajeshwari
6.	Maya Puri
7.	Udyog Nagar
8.	Mangol Puri
9.	Badli

By Order and in the Name of the Lt. Governor of the
National Capital Territory of Delhi,
CHETAN B. SANGHI, Secy.

भूमि व भवन विभाग

अधिसूचनाएं

दिल्ली, 28 जनवरी, 2010

सं. फा. 7(22)/07/भू. व भ. /भू. अ./13656.—जबकि दिल्ली के उपराज्यपाल संतुष्ट हैं कि सार्वजनिक प्रयोजन एवं सार्वजनिक व्यय पर सरकार द्वारा दिल्ली जल बोर्ड के सीवेज पम्पिंग स्टेशन के निर्माण हेतु भूमि प्राप्त किया जाना है। अतः इसके द्वारा यह अधिसूचित किया जाता है कि निम्नलिखित इलाके में भूमि का उक्त प्रयोजन के लिए अधिग्रहण किया जाना है।

यह घोषणा भूमि अधिग्रहण अधिनियम, 1894 की धारा 6 के उपबंधों के अधीन सर्वसंबंधित के लिए प्रचालित की जाती है, जिसके लिए भूमि अधिग्रहण अधिनियम, 1894 की धारा 4 के अंतर्गत अधिसूचना संख्या फा. 7(22)/07/भू. व भ./भू. अ./12771, दिनांक 13-2-2009 के द्वारा की जा चुकी है और उक्त अधिनियम की धारा 7 के उपबंधों के अधीन दिल्ली के भूमि अधिग्रहण कलेक्टर (उत्तर-पश्चिम) को उक्त भूमि के अधिग्रहण के लिए आदेश देने के लिए इसके द्वारा निर्देश दिया जाता है।

भूमि के नक्शे का अवलोकन दिल्ली के भूमि अधिग्रहण कलेक्टर (उत्तर-पश्चिम) के कार्यालय में किया जा सकता है।

विशिष्ट विवरण

गांव का नाम	कुल क्षेत्र (बीघा-बिस्वा बिस्वासी)	खसरा नं.	क्षेत्र (बीघा-बिस्वा-बिस्वासी)
हमीरपुर	0-14-08	24/11	0-14-08

LAND AND BUILDING DEPARTMENT NOTIFICATIONS

Delhi, the 28th January, 2010

No. F. 7(22)/07/L & B/LA/13656.—Whereas the Lt. Governor, Delhi is satisfied that land is required to be taken by Government at the public expense for a public purpose namely for construction of Sewage Pumping Station by Delhi Jal Board. It is hereby notified that the land in the locality described below is required for the above purpose.

This declaration is made under the provisions of Section 6 of the Land Acquisition Act, 1894 in respect of

उद्योग विभाग

अधिसूचना

दिल्ली, 27 फरवरी, 2014

सं. एफ.1/जे.सी.आई./सी.ई.टी.पी./मीटिंग/2009/30/232.—जबकि दिनांक 28 जनवरी, 2010 की अधिसूचना संख्या फ. नं. एफ.1/जे.सी.आई./सी.ई.टी.पी./मीटिंग/2009/38 के अनुसार उद्योग आयुक्त, दिल्ली राष्ट्रीय राजधानी क्षेत्र दिल्ली सरकार ने दिल्ली सामूहिक अवरजल शोधन संयंत्र अधिनियम, 2000 की धारा 15 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, उक्त अधिनियम की धारा 16 के साथ पठित धारा 6 की उप-धारा (2) के खंड (ख) के अन्तर्गत किसी अधिभोगी से किसी बकाये की वसूली के प्रयोजनार्थ और उक्त प्रयोग के लिए नोटिस जारी करने के लिए संलग्न प्रथम अनुसूची में उल्लेखित सार्वजनिक मलशोधन संयंत्र समितियों को शक्तियाँ सौंपी थी।

अतः अब उद्योग आयुक्त, दिल्ली सामूहिक अवरजल शोधन संयंत्र अधिनियम, 2000 की धारा 15 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, उक्त अधिसूचना से संलग्न प्रथम अनुसूची में सम्बन्ध सार्वजनिक मलशोधक संयंत्र समितियों में आंशिक संशोधनों के साथ क्रम संख्या 10 और 11 पर वजौरपुर सार्वजनिक मलशोधन समिति एवं नारायण सार्वजनिक मलशोधक समिति के नाम भी इस अधिसूचना के प्रकाशित होने की तिथि से सम्मिलित करते हैं।

राष्ट्रीय राजधानी क्षेत्र दिल्ली के उपरान्तपाल के
आदेश से तथा उनके नाम पर,
अमित यादव, सचिव एवं आयुक्त (उद्योग)

OFFICE OF THE COMMISSIONER OF INDUSTRIES
NOTIFICATION

Delhi, the 27th February, 2014

No. F. 1/JCI/CETP/Meeting/2009/30/232.—Whereas vide Notification No. F.1/JCI/CETP/Meeting/2009/38 dated the 28th January, 2010, the Commissioner of Industries, Government of National Capital Territory of Delhi, in exercise of the powers conferred under section 15 of the Delhi Common Effluent Treatment Plan Act, 2000, delegated the powers under clause (b) of sub-section (2) of Section 6 read with Section 16 of the said Act to the respective CETP Societies for the respective industrial areas under their control as per Schedule 1 annexed therewith for the purpose of recovery of any dues from any occupier in the manner laid down in the said Act and to issue notices for the said purpose.

Whereas, in partial modification of Schedule 1 annexed to the said notification containing the list of CETP Societies, and in exercise of the Powers of Section 15 of the said Act, the Commissioner of Industries adds the names of Wazirpur CETP and Naraina CETP at serial number 10 and 11 respectively with effect from the date of publication of this notification.

By Order and in the Name of the Lt. Governor of the
National Capital Territory of Delhi,
AMIT YADAV, Secy. & Commissioner (Industries)

कार्यालय: अनुसूचित जाति/ अनुसूचित जनजाति/ अन्य पिछड़ा वर्ग/अल्पसंख्यक
अधिसूचना

दिल्ली, 27 फरवरी, 2014

सं. पब. 07(7)/2013-14/डीएससीएसटी/एससीपी/खण्ड-VIII/21152.—हाथ से मैला उठाने वाले कर्मियों के नियोजन का आदेश और उनका पुनर्वास अधिनियम, 2013 (2013 का 25) की उप-धारा (2) धारा 4 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए राष्ट्रीय राजधानी क्षेत्र दिल्ली के उपरान्तपाल दिनांक 06-12-2016 की तिथि निर्धारित करते हैं, जिस तिथि तक राष्ट्रीय राजधानी क्षेत्र दिल्ली के स्थानीय प्राधिकरण जैसे उत्तरी दिल्ली नगर निगम, दक्षिणी दिल्ली नगर निगम, पूर्वी दिल्ली नगर निगम तथा नई दिल्ली नगर निगम को अपने अधिकार क्षेत्र में, खुले में शौच करने की प्रवृत्ति को समाप्त करने हेतु, प्रयास संख्या में स्पष्ट संपुराणिक शौचालयों का निर्माण करना अनिवार्य होगा।

राष्ट्रीय राजधानी क्षेत्र दिल्ली के उपरान्तपाल
के आदेश से और उनके नाम पर,
डी.एस.पी.डित, सचिव (अनु.जा/अनु.ज.जा./अ.पि.वर्ग/अल्पसं.)

658 25/14-2

SCHEDULE -II

(See rule 4)

Formula for cost apportionment to all units existing in industrial estates:

$$Cp(i) = Pop(i) \frac{Ws p(i)}{E Pop} \times 0.4 + \frac{Labp (i)}{Elabp} \times 0.2$$

$$+ \frac{Lap (i)}{Elap} \times 0.1 \times Cs + Cfl (i)$$

Where,

- $Cp(i)$ = Cost to be shared by units located on plot (i)
- Cs = Total cost to be raised by the industrial estate
- $Pop(i)$ = Total Horse power of pumps installed on tubewells in plot (i)
- $E Pop$ = Total Horse power of pumps installed on tubewells in the Estate

$Wsp(i) =$ MCD water supply to plot (i) Kilolitres /month
 $EWsp =$ Total MCD water supply to the Estate, Kiloliter /month
 $Lap(i) =$ Area of the plot (i) Sq. mt.
 $ELap =$ Total area of the plots in the Estate Sq. mt.
 $Labp(i) =$ No. of labours working in plot (i)
 $ELab p =$ Total no. of labours working in the Indl. Estate
 $Cf(i) =$ Additional fixed cost to be paid by plot owner (i) depending on the nature of activity carried out in the plot such as :

(i)	Highly polluting activities	=	Rs. 10,000/-
(ii)	Medium polluting activities	=	Rs. 5,000/-
(iii)	Low polluting activities	=	Rs. 2,000/-

A. Highly polluting activities pickling = 10,000
 Pickling
 Electroplating / anodizing
 Chemical manufacturing
 Pharmaceutical manufacturing
 Soap and detergent manufacturing
 Paint / varnish / dye manufacturing
 Rubber / Plastic reprocessing
 Similar industries as per DPCC classification

B. Medium polluting activities 5000
 Cloth Dyeing & printing
 Food processing
 Meat processing
 Foam manufacturing
 Automobile service stations
 Laundry and dry-cleaning
 Similar industries as per DPCC classification

C. Low polluting activities
 Wire drawing

Activities resulting in only cooling water generation
e.g. Cold & hot rolling
Printing press

Similar industries as per DPCC classification
Industries, where a functional ETP exists meeting prescribed standards, will be treated at par with dry industries and in such cases, only land and labour coefficients of above equation will be operative.

भारत सरकार
GOVERNMENT OF INDIA



एस.जी.-डी.एल.-अ.-03112022-240007
SG-DL-E-03112022-240007

असाधारण
EXTRAORDINARY

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 493]	दिल्ली, बुधवार, नवम्बर 2, 2022/कार्तिक 11, 1944	[रा.रा.क्षे.दि. सं. 330
No. 493]	DELHI, WEDNESDAY, NOVEMBER 2, 2022/KARTIKA 11, 1944	[N. C. T. D. No. 330

भाग IV
PART IV

राष्ट्रीय राजधानी राज्य क्षेत्र दिल्ली सरकार
GOVERNMENT OF THE NATIONAL CAPITAL TERRITORY OF DELHI

आयुक्त

दिल्ली, 2 नवम्बर, 2022

. 133 / सीआई / डीसीआई / सीईटीपी / 2021 / 1860.—दिल्ली सामान्य अपषिष्ट उपचार संयंत्र अधिनियम, 2000 (2000 का दिल्ली अधिनियम 7) की धारा 26 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, राष्ट्रीय राजधानी क्षेत्र दिल्ली के उपराज्यपाल एतद्द्वारा शासकीय राजपत्र में इस अधिसूचना के प्रकाशन की तिथि से प्रभावी दिल्ली सामान्य अपषिष्ट उपचार संयंत्र नियमावली, 2001 की अनुसूची II में निम्नलिखित संशोधन करते हैं: —

II - औद्योगिक सम्पदाओं में विद्यमान समस्त इकाइयों की लागत आवंटन हेतु सूत्र", विद्यमान प्रविष्टियों को निम्नलिखित प्रविष्टियों द्वारा प्रतिस्थापित किया जाएगा: —

सीईटीपी के परिचालन एवं अनुरक्षण की कुल लागत

X = {-----}

$1.67 * A_O + 1.0 * A_G + 0.67 * A_W + 0.15 * A_V$

जहाँ,

X = किसी उद्योग द्वारा अधिकृत भूमि क्षेत्र के आधार पर प्रभार्य प्रति इकाई लागत (रु./m²)

A_G = उद्योगों की श्रेणी वाली इकाइयों का कुल क्षेत्रफल

A_O = प्रदूषणकारी/ऑरे उद्योग वाली इकाइयों का कुल क्षेत्रफल

A_W = उद्योगों/वाणिज्यिक प्रतिष्ठानों वाली इकाइयों का कुल क्षेत्रफल

A_V = गतिविधि रहित /खाली भूखंडों/ अपशिष्ट प्रवाह रहित भूखंडों का कुल क्षेत्रफल

तदनुसार

गैर-प्रदूषणकारी/हरित औद्योगिक गतिविधि वाली इकाइयों हेतु दर = रु. **X** प्रति वर्ग मीटर।

प्रदूषणकारी/ऑरेंज उद्योग वाली इकाइयों हेतु दर = रु. 1.67 **X**

इकाइयों और अन्य अधिभोगियों हेतु दर = रु. 0.67 **X**

औद्योगिक गतिविधि रहित खाली भूखंडों हेतु दर = रु. 0.15 **X**

राष्ट्रीय राजधानी क्षेत्र दिल्ली के उपराज्यपाल
के आदेश से और उनके नाम पर,
निहारिका राय, आयुक्त सह सचिव, उद्योग

OFFICE OF THE COMMISSIONER OF INDUSTRIES

NOTIFICATION

Delhi, the 2nd November, 2022

No. F. 133/CI/DCI/CETP/2021/1860.—In exercise of powers conferred by Section 26 of the Delhi Common Effluent Treatment Plants Act, 2000 (Delhi Act 7 of 2000), the Lt. Governor of National Capital Territory of Delhi hereby makes the following amendments in Schedule II of the Delhi Common Effluent Treatment Plants Rules, 2001 with effect from THE DATE OF PUBLICATION OF THIS NOTIFICATION IN THE Official Gazette: -

AMENDMENT

INSCHEDULEII “Formula for cost apportionment to all units existing in industrial estates”, the existing entries shall be substituted by the following entries: -

$$X = \frac{\text{Total cost of operations \& maintenance of CETP}}{1.67 * A_O + 1.0 * A_G + 0.67 * A_W + 0.15 * A_V}$$

Where,

X = Per unit cost chargeable based on land area occupied by an industry (Rs. /m²)

A_G = Total area of units having **Green** category of industries

A_O = Total area of units having **Polluting/Orange** industries


A_W = Total area of units having **White/Dry** industries/commercial establishments

A_V = Total Area of Plots with **No Activity/Vacant Plot/ No Effluent Discharge**

Accordingly,

Rate for units with Non-Polluting/Green Industrial Activity	= Rs. X per sqm.
Rate for units with Polluting/Orange Industries	= Rs. 1.67 X
Rate for White/Dry units and other occupiers	= Rs. 0.67 X
Rate for vacant plots with No Industrial Activity	= Rs. 0.15 X

By Order and in the Name of Lt. Governor
of National Capital Territory of Delhi,
NIHARIKA RAI, Secy. and Commissioner (Industries)



F. No. DPCC/ WMC-II / CETP Inlet Standards /2020/9626-9635

Dated: 02-03-2022

ORDER

Whereas, vide Notification No. S.O. 4 (E) Dated 01.01.2016, Ministry of Environment, Forest and Climate Change (MoEF & CC), Govt. of India, has notified the Treated Effluent Quality Standards for Common Effluent Treatment Plants (CETP) and mandated that for each CETP, the State Pollution Control Board will prescribe Inlet Quality Standards for General Parameters, Ammonical-Nitrogen and Heavy metals as per design of the CETP and local needs & conditions for achieving the same by the constituent units discharging their effluent into the concerned CETP.

And Whereas, Delhi Pollution Control Committee (DPCC) constituted a Committee headed by Member Secretary, DPCC and comprising of Representatives of CPCB, Industries Department, Govt. of NCT of Delhi, DSIIDC, NEERI (from Zonal Center Delhi) and DPCC vide office order dated 03.11.2021 for finalizing the Inlet Standards for CETPs in NCT of Delhi with respect to above mentioned Notification No. S.O.4(E) dated 01.01.2016 of MoEF & CC.

And Whereas, as per the said office order, the Committee was also required to review the Treated Effluent Quality Standards in respect of CETPs notified by MOEF&CC vide said Notification dated 01.01.2016 for prescribing the Stringent Standards for Treated Effluent Quality in respect of CETPs in NCT of Delhi keeping in view the proposed upgradation of CETPs with the objective of Reuse/ Recycle of treated waste water from CETPs.

And Whereas, meetings of the said Committee were held on 12.11.2021, 15.12.2021 & 07.01.2022 and various issues related to prescribing Inlet Quality Standards for CETPs in Delhi and stringent standards for Treated Effluent keeping in view the proposed upgradation of CETPs with the objective of Reuse/ Recycle of treated waste water from CETPs were discussed and deliberated in these meetings.

And Whereas, the said Committee has finalized & prescribed the Inlet Water Quality Standards for All the 13 CETPs in NCT of Delhi including General Parameters, Ammonical Nitrogen and Heavy metals which are to be achieved by Individual constituent Industry /Unit discharging its effluent in the concerned CETP.

And Whereas, the said Committee has also finalized & prescribed standards for Treated Effluent Quality for All the 13 CETPs in Delhi in respect of the Parameters which have been made stringent than prescribed in the notification of MoEF&CC dated 01.01.2016, for upgradation of CETPs / New CETPs in Delhi with the objective of Reuse/Recycle of treated waste water from CETPs.

In view of the above and as decided by the Chairman, DPCC, following are the Prescribed Inlet Water Quality Standards for All the 13 Common Effluent Treatment Plants (CETPs) in NCT of Delhi, to be achieved by Individual constituent Industry / Unit discharging its effluent in the concerned CETP :

S. No.	Parameters	Prescribed Standard [Maximum Permissible Values / Concentration] (in mg/l except pH)
1.	pH	5.5 - 9.0
2.	Oil & Grease	20

RE IT *[Signature]* 1
03/03/2022

3.	Total Suspended Solids (TSS)	600
4.	Fixed Dissolved Solids(FDS)	2100*
5.	Bio-Chemical Oxygen Demand (BOD) (3 days at 27°C)	300
6.	Chemical Oxygen Demand (as COD)	750
7.	Phenolic Compounds (as C ₆ H ₅ OH)	5.0
8.	Ammonical Nitrogen (as N)	50
9.	Cyanide(as CN)	2.0
10.	Chromium (Hexavalent) (as Cr ^{VI})	2.0
11.	Chromium (Total) (as Cr)	2.0
12.	Copper(as Cu)	3.0
13.	Lead(as Pb)	1.0
14.	Nickel(as Ni)	3.0
15.	Zinc(as Zn)	15
16.	Arsenic (as As)	0.2
17.	Mercury(as Hg)	0.01
18.	Cadmium(as Cd)	1.0
19.	Selenium(as Se)	0.05
20.	Fluoride(as F)	15
21.	Boron (as B)	2.0
22.	Phosphates (as P)	15
23.	Sulphides (as S)	5

1. Above mentioned Prescribed Inlet Water Quality Standards for CETPs in Delhi (at S.No. 1 to 21 except S.No. 3, 4, 5 & 6) are as mentioned in Inlet Effluent Quality Standards for CETP issued by MoEF vide G.S.R. 93 (E) dated 21.02.1991 (w.e.f. 27.02.1991) except Temperature and Radioactive Materials (Alpha Emitters & Beta Emitters).

- Parameters Total Suspended Solids (TSS) (at S.No. 3), Bio-Chemical Oxygen Demand (BOD) (at S.No. 5) and Chemical Oxygen Demand (COD) (at S.No. 6) have been prescribed based on the recommendations of NEERI and as decided in the meeting of the Committee on 15.12.2021
- Parameters Phosphates (at S.No. 22) & Sulphides (at S.No. 23) have been prescribed keeping in view the grim situation of pollution in river Yamuna in Delhi.
- All the Industries/ Units discharging their effluent in the CETPs shall mandatorily comply with the above mentioned Prescribed Inlet Water Quality Standards for CETPs in Delhi. However, wherever Delhi Pollution Control Committee (DPCC) has prescribed more stringent standards than the above mentioned Prescribed Inlet Water Quality Standards for CETPs in respect of the Activities mentioned under Schedule I of the Environment (Protection) Rules, 1986, as amended to date, the same shall be applicable for compliance by the Industries / Units.
- Maximum Permissible Fixed Dissolved Solids (FDS) contribution by constituent units of a Common Effluent Treatment Plant (CETP) shall be 1000 mg/l. Wherever Fixed Dissolved Solids (FDS) concentration in raw water used by the constituent units of CETP is upto 1100 mg/l, the permissible standards for Fixed Dissolved Solids (FDS) shall be maximum 2100 mg/l for discharge of effluent by such constituent units into the CETPs.

*In cases where Fixed Dissolved Solids (FDS) concentration in raw water used by the constituent units is already high (i.e. more than 1100 mg/l) then the maximum permissible value for Fixed Dissolved Solids (FDS) in treated effluent shall be Fixed Dissolved Solids (FDS) in Raw water + 1000 mg/l maximum value upto 3100 mg/l.

- Ground water extraction and management in NCT of Delhi is regulated as per the provisions of the Notification Dated 12.07.2010 issued by Environment Department, Govt. of NCT of Delhi, as amended to date. As per the said Notification, it is mandatory to take permission of the Competent

Authority, i.e. Delhi Jal Board / New Delhi Municipal Council (NDMC) (as per the area of jurisdiction) prior to groundwater drawl from Borewell and therefore, Industries/ Units are not permitted to draw Groundwater from Borewells without permission of the Competent Authority.

Following are the prescribed standards for Treated Effluent Quality for All the 13 CETPs in Delhi in respect of the Parameters which have been made stringent than prescribed in the notification of MoEF&CC dated 01.01.2016, for upgradation of CETPs / New CETPs in Delhi with the objective of Reuse/Recycle of treated waste water from CETPs, as given below :

S. No	Parameters	Existing Standards for Discharge into inland surface water (Maximum Permissible Values) (mg/l) (As per Notification of MoEF&CC S.O.4(E) dated 01.01.2016)	Prescribed Standards for Treated Effluent Quality for Upgradation of CETPs/ New CETPs in Delhi (Maximum Permissible Values) (mg/l)
1.	Total Suspended Solids (TSS)	100	10
2.	Bio-Chemical Oxygen Demand (BOD)(3 days at 27°C)	30	10
3.	Chemical Oxygen Demand (COD)	250	50
4.	Ammonical Nitrogen	50	5
5.	Total Kjeldahl Nitrogen (TKN)	50	10
6.	Phosphates (as P)	5	2

Above prescribed standards are applicable for upgradation of CETPs/ New CETPs only. Standards prescribed by MoEF&CC vide Notification S.O.4(E) dated 01.01.2016 in respect of other parameters mentioned under "Treated Effluent Quality Standards" for CETPs shall remain same and applicable for all the CETPs in Delhi.

In case of existing operational CETPs in Delhi (till their upgradation) Standards prescribed by MoEF&CC vide Notification S.O.4(E) dated 01.01.2016 in respect of all the parameters mentioned under "Treated Effluent Quality Standards" for CETPs shall be applicable.

This order will come into force with immediate effect & shall be complied by all the concerned including Industries / Units in the Industrial Areas connected with Common Effluent Treatment Plants (CETPs) in Delhi and shall be strictly enforced by the Consent Management Cells of DPCC.

(Sanjeev Kishore)
Chairman, DPCC

To,

1. All Incharges of Consent Management Cells in DPCC.
2. Incharge WMC II, DPCC
3. Incharge Water Lab, DPCC

Copy to : For Information and Necessary Action

1. The Chairman, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 110032
2. The Commissioner of Industries, Department of Industries, Govt. of NCT of Delhi, 419, Udyog Sadan, FIE, Patparganj, Delhi - 110092
3. The Managing Director, Delhi State Industrial & Infrastructure Development Corporation Ltd. N-36, Bombay Life Building, Connaught Circus, New Delhi - 110001
4. The Chief Executive Officer, Delhi Jal Board, Varunmaya Ph-II, Jhandewalan, Karol Bagh, Delhi - 110005
5. Member Secretary, DPCC
6. Incharge IT Cell, DPCC - For uploading the above mentioned order on the website of DPCC
7. All CETP Societies / Operator of CETPs in Delhi.

(Sanjeev Kishore)
Chairman, DPCC

OFFICE OF THE COMMISSIONER OF INDUSTRIES**(Department of Industry)****NOTIFICATION**

Delhi, the 29th April, 2022

F. No. 1/JCI/CETP/Meeting/2009/ 1751.—In exercise of the powers conferred under section 15 of the Delhi Common Effluent treatment Plant Act, 2000, the Commissioner of Industries, Government of National Capital Territory of Delhi hereby delegates the powers exercisable by the Appropriate Authority to the Executive Director of Delhi State Industrial & Infrastructure Development Corporation Ltd. (DSIIDC) to exercise powers conferred on, and perform the functions assigned to Appropriate Authority under the Delhi Common Effluent Treatment Plant Act, 2000 in respect of Common Effluent treatment Plants in the Industrial Areas under the control and maintenance of DSIIDC.

This notification comes into force with effect from the date of its publication in official gazette.

By Order and in the Name of the
Lt. Governor of NCT of Delhi,

NIHARIKA RAI, Secy.-Cum- Commissioner (Industries)



DELHI JAL BOARD
OFFICE OF THE CHIEF ENGINEER (MAINTENANCE) - 1
ROOM NO- 201, VARUNALAYA PH-I
KAROL BAGH: NEW DELHI-05
Email id: cecn.djb2024@gmail.com



No. DJB /CE(M)-1/2025/ 06

Dated: 13.11.2025

To,
The Deputy Commissioner of Industries (CETP),
Government of NCT of Delhi

Subject: Regarding sewerage and CETP-related issues

Sir,

With reference to the Minutes of Meeting held on 30.09.2025 regarding upgradation of Common Effluent Treatment Plants (CETPs) in conforming industrial areas and survey of non-conforming industrial clusters & further letter no. F. IND-P/2/2023-CETP/6150 dated 03.10.2025 in this matter, the following is submitted on behalf of Delhi Jal Board (DJB):

1. DJB will not take up the construction, operation, or upgradation of CETPs. The responsibility for the same lies with the concerned CETP societies/DSI IDC.
2. Industrial discharge shall not be permitted in DJB's biological STP-bound sewer network, as the sewage treatment plants are not designed or equipped for industrial effluent treatment.
3. A nodal officer for each CETP has been nominated by DJB for coordination and joint inspection with DSI IDC and CETP societies (Copy enclosed).
4. In cases where only biological (non-industrial) discharge from industrial areas is proposed to be conveyed through a common point, DJB may consider taking such discharge separately into the STP-bound network. However, it is clarified that laying of a separate network within the industrial area boundary shall not be undertaken by DJB at its own cost and such discharge should be provided to DJB sewer network at Single /few collection points.

This is submitted for kind information and further necessary action, please.

Encl: As above

Sd/-
Chief Engineer (Maintenance) - 1

Copy to:

1. CEO, DJB: for kind information please.
2. CEN (Dr): for kind information please
3. Managing Director (DSI IDC), A-74, DSI IDC building, 11th floor, Lajpat Nagar, Ring Road, New Delhi - 110024
- ✓ 4. PPS to ACS Industry Department, GNCTD.
5. PA to Joint Commissioner of Industries.


(S. K. Dahiya)
Chief Engineer (Maintenance) - 1

S.No.	Name of CETPs	Concerned SE	Name of EE	Name of Division	Contact No. of Concerned EE
1	Okhla ph I & 2	SE(C)12	Alok Kumar Jain	EE(C)32	9650291526
2	Jahangirpuri industrial area	SE(C)04	Sh. Ashok Kumar Singhal	EE(C)-11	9650291347
3	GTK Industrial Area	SE (C)-05	Sh. Joginder Singh Chauhan	EE (C)-13	9650291095
4	Badli Industrial Area	SE(C)04	Sh. Vikas Rathi	EE(C)-09	9650291480
5	Narela Industrial Area	SE(C)04	Sh. Vikas Rathi	EE(C)-09	9650291480
6	Nil	SE (C)-06	Sh. Satyender Dabas	EE (C)-16	9650291279
7	Udyog Nagar Industrial Area (Nangloi)	SE (C)-08	Sudhir Kumar Dahiya	EE (C)-22	9971168047
8	Jhilmil CETP society	SE(C)-02	Vaibhav Jain	EE(C)-04	8800332234
9	Nil	SE(C)-06	Sh. R K Bansal	EE(C)-14	9650290967
10	Nil	SE(C)-06	Sh. K N Ojha	EE(C)-15	9650094250
11	Wazirpur industrial Area	SE(C)-07	Manoj Kumar	EE (C)-18	9650291216
12	Patparganj Industrial Area	SE(C)01	Dheeraj	EE(C)-03	9650311388
13	Mayapuri Industrial Area CETP	SE(C)-09	Narender Kumar Sharma	EE(C)-23	9650755988
14	Bawana Industrial Area	SE(C)-04	Sh. Avinash Meena	EE(C)-10	9650094277
15	Naraina Industrial Area CETP	SE(C)06	Sh. Satyender Dabas	EE(C)-16	9650291279
16	Lawrence Road Industrial Area CETP	SE(C)07	Yogendra Singh	EE(C)17	9650290782
17	Mangolpuri Indrustial Area Phase-I	SE(C)08	Sheshnath Rai	EE(C)21	9650291443